

# **Far Eastern Entomologist**

---

Number 514: 21-28

ISSN 1026-051X (print edition)  
ISSN 2713-2196 (online edition)

January 2025

---

<https://doi.org/10.25221/fee.514.2>

<https://elibrary.ru/irtbhk>

<https://zoobank.org/References/538743F0-9A72-4B5E-9385-E7ACAF9BB552>

## **NEW AND LITTLE KNOWN GROUND BEETLES (COLEOPTERA: CARABIDAE) FROM KHABAROVSKY KRAI**

**Yu. N. Sundukov<sup>1\*)</sup>, O. V. Kuberskaya<sup>2,3)</sup>**

1) *Federal Scientific Center of the East Asia Terrestrial Biodiversity, Far East Branch of the Russian Academy of Sciences, Vladivostok, 690022, Russia.* \*Corresponding author, E-mail: [yun-sundukov@mail.ru](mailto:yun-sundukov@mail.ru)

2) *Federal State-Funded Institution “Zapovednoye Priamurye”, Khabarovsk, 680000, Russia.* E-mail: [leonika-00@mail.ru](mailto:leonika-00@mail.ru)

3) *Institute of Water and Ecology Problems Far Eastern Branch of the Russian Academy of Sciences, Khabarovsk, 680000, Russia.*

**Summary.** Information on nineteen new or little-known species of ground beetles found in Khabarovsky Krai is presented. Of these, eleven species (*Acupalpus inornatus* Bates, 1873, *Agonum gratiosum* (Mannerheim, 1853), *A. suavissimum* (Bates, 1883), *Bembidion stenoderum* Bates, 1873, *B. umiatense* Lindroth, 1963, *Eotrechodes larisae* Uéno, Lafer et Sundukov, 1995, *Loxoncus circumcinctus* (Motschulsky, 1858), *Odacantha hagai* Nemoto, 1989, *Oodes integer* Semenov, 1889, *Stenolophus connotatus* Bates, 1873, and *Trichotichnus nishioi* Habu, 1961) are newly recorded from Khabarovsky Krai. The records of eight species form Khabarovsky Krai are supported by additional material.

**Key words:** Coleoptera, Carabidae, fauna, new records, Khabarovsky Krai, Russia.

**Ю. Н. Сундуков, О. В. Куберская. Новые и малоизвестные жужелицы  
(Coleoptera: Carabidae) из Хабаровского края // Дальневосточный энтомолог. 2025. N 514. С. 21-28.**

**Резюме.** Приводятся сведения о 19 новых или малоизвестных видах жужелиц, обнаруженных в Хабаровском крае. Из них, 11 видов (*Acupalpus inornatus* Bates, 1873, *Agonum gratiosum* (Mannerheim, 1853), *A. suavissimum* (Bates, 1883), *Bembidion stenoderum* Bates, 1873, *B. umiatense* Lindroth, 1963, *Eotrechodes larisae* Uéno, Lafer et Sundukov, 1995, *Loxoncus circumcinctus* (Motschulsky, 1858), *Odacantha hagai* Nemoto, 1989, *Oodes integer* Semenov, 1889, *Stenolophus connotatus* Bates, 1873 и *Trichotichnus nishioi* Habu, 1961) впервые указаны для фауны Хабаровского края. Для восьми видов приводятся новые данные по их распространению в Хабаровском крае.

## **INTRODUCTION**

The study of ground beetles in Khabarovsky Krai has been progressing quite successfully over the past quarter century. At the time of preparation of this publication, 440 species of Carabidae were reported from the territory of Khabarovsky Krai (Sundukov, 2022; Kuberskaya

& Sundukov, 2023; Sundukov & Kuberskaya, 2023). And although, in terms of the number of species in the regions of the Russian Far East, it is second only to Primorsky Krai (513 species), it is safe to say that the ground beetle fauna of the region has not yet been sufficiently studied.

This report presents data on new and little-known species of Carabidae collected by the authors and L.A. Sundukova (Lazo, Primorsky Krai) in 2023–2024 in the Anyuisky National Park in the south of Khabarovsky Krai. The presented material is stored in the collections of the Federal Scientific Center of the East Asia Terrestrial Biodiversity, Far East Branch of the Russian Academy of Sciences, Vladivostok (FEB) and the Komsomolsk branch of the Federal State-Funded Institution “Zapovednoye Priamurye”, Khabarovsk (KNR). New records from Khabarovsky Krai are noted with an asterisk (\*).

## LIST OF THE SPECIES

### Family Carabidae

#### Subfamily Trechinae

##### Tribe Bembidiini

###### \**Bembidion (Asioperyphus) umiatense* Lindroth, 1963

MATERIAL. Khabarovsky Krai, Cape Wrangel, coast of the Sea of Okhotsk, mouth of the Vodopadny Stream, 54°17'17.44" N, 138°42'08.02" E, 17–31.VIII 2023, 1♀, leg. O. Kuberskaya (KNR).

DISTRIBUTION. An arctic-boreal holarctic species. In the Palearctic: from the tundra of the European part of Russia to Chukotka and Magadan in the east, from the Arctic coast in the north to the forest-tundra in the south.

HABITAT. Near-water habitats.

###### \**Bembidion (Bracteon) stenoderum stenoderum* Bates, 1873

MATERIAL. Khabarovsky Krai, Anyuisky National Park: Lake Gassi, Cape Osinovy, 49°03'01.12" N, 136°32'47.60" E, 4–7.VIII 2023, 1♂, leg. O. Kuberskaya (FEB); mouth of the Khar River, 49°01'53.55" N, 136°36'10.79" E, 5.VIII 2023, 2♂, leg. O. Kuberskaya (FEB); lower reaches of the Pikhetsa River, 48°57'05.94" N, 136°35'00.28" E, 6.VIII 2023, 1♀, leg. O. Kuberskaya (KNR); shore of Lake Gassi, 49°03'48.54" N, 136°31'39.44" E, 7.VIII 2023, 1♀, leg. O. Kuberskaya (KNR); the shore of Lake Gassi east of Cape Osinovy, 49°02'57.4" N, 136°34'00.0" E, 3.VII 2024, 2♂, leg. Yu. Sundukov & L. Sundukova (FEB); lower reaches of the Anyuy River, Kon channel, 49°15'22.60" N, 136°42'59.15" E, 12.VII 2024, 2♂, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 14.VII 2024, 2♂, leg. O. Kuberskaya (KNR); the bank of the Anyuy River at the mouth of the Manya River, 49°19'11.80" N, 137°39'29.01" E, 18.VII 2024, 2♂, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Asian subspecies: **Russia**: south of Khabarovsky Krai (new record), Primorsky Krai, South Sakhalin, South Kurile (Iturup, Kunashir, Shikotan); Eastern China, North Korea, Japan.

HABITAT. On sandy and sandy-pebble banks of rivers and lakes.

###### *Bembidion (Hydrium) vitiosum* (Gemminger et Harold, 1868)

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the bank of the Anyuy River at the mouth of the Manya River, 49°19'11.80" N, 137°39'29.01" E, 18.VII 2024, 1♂, leg. O.

Kuberskaya (KNR); the Anyuy River 3 km above the Bogbasu cordon, 49°22'03.89" N, 137°45'13.30" E, 19.VII 2024, 1♀, leg. O. Kuberskaya (KNR); the bank of the Anyuy River above the mouth of the Solomi River, 49°20'05.4" N, 137°37'19.6" E, 21.VII 2024, 1♂, leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. Boreal East Palearctic species: from Novosibirsk in the west to Chukotka and Sakhalin in the east, from Krasnoyarsk, Central Yakutia and Chukotka in the north to the mountains of Southern Siberia and Beijing in the south.

HABITAT. On sandy and sandy-pebble banks of mountain rivers.

NOTES. This species was recorded from Khabarovsky Krai without locations of finds and studied materials (Shilenkov, 1994).

#### ***Bembidion (Ocydromus) primorjense* Neri et Toledano, 2023**

MATERIAL. Khabarovsky Krai, Anyuisky National Park: lower reaches of the Anyuy River, Kon channel, 49°15'24.30" N, 136°42'49.52" E, 18.VI 2023, 1♀, leg. O. Kuberskaya (KNR); the bank of the Anyuy River above the mouth of the Solomi River, 49°19'47.6" N, 137°37'47.6" E, 22.VII 2024, 1♂, 6♀, leg. O. Kuberskaya (KNR); ibid, 22.VII 2024, 2♂, 6♀, leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. East Asian species: **Russia**: south of Khabarovsky Krai, Primorsky Krai, South Sakhalin.

HABITAT. On the pebble banks of rivers.

NOTES. In Khabarovsky Krai this species was reported from Bikin River and Bolshehekhtsirsky Nature Reserve only (Neri & Toledano, 2023).

#### **Tribe Tachyini**

##### ***Elaphropus zouhari* (Jedlička, 1961)**

MATERIAL. Khabarovsky Krai, Anyuisky National Park: Lake Gassi, gas pipeline, 49°04'02.3" N, 136°31'23.5" E, 6.VII 2024, 2♂, 4♀, leg. Yu. Sundukov & L. Sundukova (FEB); lower reaches of the Anyuy River, Kon channel, 49°15'25.1" N, 136°42'01.1" E, 12.VII 2024, 2♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 14.VII 2024, 1♀, leg. Yu. Sundukov (FEB).

DISTRIBUTION. East Asian species: **Russia**: south of Zabaikalsky Krai, south of Amurskaya Oblast, Jewish Autonomous Oblast, south of Khabarovsky Krai, Primorsky Krai; North Korea, Eastern China. Reports from Sakhalin are probably erroneous (Kryzhanovskij et al., 1995; Sundukov, 2013).

HABITAT. Meadows, glades, banks of reservoirs.

NOTES. This species was recorded from Khabarovsky Krai without locations of finds and studied materials (Lafer, 1989; Shilenkov, 1994; Sundukov, 2013).

#### **Tribe Trechini**

##### **\**Eotrechodes larisae* Uéno, Lafer et Sundukov, 1995**

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the mouth of the Bogbasu River, 16.VII 2024, 1♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); the bank of the Anyuy River at the mouth of the Manya River, 49°19'11.80" N, 137°39'29.01" E, 18.VII 2024, 1♂, leg. O. Kuberskaya (KNR); the bank of the Anyuy River above the mouth of the Solomi River, 49°20'05.4"N, 137°37'19.6"E, 21.VII 2024, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. East Asian species: **Russia**: southern Khabarovsky Krai (new record), Primorsky Krai (Sikhote-Alin, East Manchurian Mountains); recorded from the southwestern coast of Lake Baikal (Shilenkov, 1994).

HABITAT. Pebble banks of mountain rivers.

#### *Perileptus (Perileptus) japonicus* Bates, 1873

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the bank of the Anyuy River at the mouth of the Manya River, 49°19'11.80" N, 137°39'29.01" E, 18.VII 2024, 1♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); the bank of the Anyuy River above the mouth of the Solomi River, 49°21'12.03" N, 137°33'27.18" E, 21.VII 2024, 2♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 21.VII 2024, 1♂, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Palearctic species: from Kemerovo Region in Russia and northeastern Kazakhstan in the west to Sakhalin, Japan and Taiwan in the east, to the north – the mountains of South Siberia and the Amur River valley, to the south – to Taiwan.

HABITAT. Pebble and sandy banks of mountain rivers.

NOTES. Till now in Khabarovsky Krai a single specimen was recorded from the Kom-somolsky Nature Reserve (Sundukov & Kuberskaya, 2023).

### Subfamily Harpalinae

#### Tribe Harpalini

##### \**Acupalpus (Stenolophidius) inornatus* Bates, 1873

MATERIAL. Khabarovsky Krai, Anyuisky National Park: Lake Gassi, gas pipeline, 49°04'02.3" N, 136°31'23.5" E, 5.VII 2024, 2♂, 4♀, leg. Yu. Sundukov (FEB); ibid, 6.VII 2024, 5♂, 8♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 7.VII 2024, 6♂, 4♀, leg. Yu. Sundukov & L. Sundukova (FEB); Checkpoint Bihan, 49°17'57.8" N, 136°30'33.0" E, 8–9.VII 2024, 1♀ leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. East Asian species: **Russia**: Jewish Autonomous Oblast (Budilov, 2024), south of Khabarovsky Krai (new record), south of Primorsky Krai; East China, Taiwan, Korean Peninsula, Japan.

HABITAT. Swampy banks of reservoirs.

#### *Harpalus (Ooistus) egorovi* Lafer, 1989

MATERIAL. Khabarovsky Krai, Anyuisky National Park: Bogbasu cordon, territory of the tourist center, 49°22'29.66" N, 137°42'37.16" E, 23.VII 2024, 1♀, leg. O. Kuberskaya (KNR).

DISTRIBUTION. Subboreal eastern Palearctic species: in the west of the range are the mountains of southern Siberia, northern Mongolia and southern Transbaikalia, in the east of the range – the south of the Magadan Region to the north, to the Chinese province of Hebei and the Korean Peninsula to the south.

HABITAT. Dry, well-warmed pebble and rocky areas.

NOTES. This species was recorded from Khabarovsky Krai without locations of finds and studied materials (Lafer, 1989, 1996; Shilenkov, 1994; Kryzhanovskij *et al.*, 1995; Sundukov, 2013).

##### \**Loxoncus (Loxoncus) circumcinctus* (Motschulsky, 1858)

MATERIAL. Khabarovsky Krai, Anyuisky National Park: Lake Gassi, gas pipeline, 49°04'02.3" N, 136°31'23.5" E, 5.VII 2024, 2♂, 1♀, leg. Yu. Sundukov (FEB); ibid, 6.VII

2024, 6♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 7.VII 2024, 3♂, 2♀, leg. Yu. Sundukov & L. Sundukova (FEB); lower reaches of the Anyuy River, Kon channel, 49°15'26.0" N, 136°41'59.3" E, 13.VII 2024, 1♀, leg. Yu. Sundukov (FEB).

DISTRIBUTION. East Asian species: **Russia**: Jewish Autonomous Region, south of Khabarovsky Krai (new record), Primorsky Krai; Eastern China, Taiwan, Korean Peninsula, Japan and Nepal.

HABITAT. Swampy banks of reservoirs.

#### \**Stenolophus (Stenolophus) connotatus* Bates, 1873

MATERIAL. Khabarovsky Krai, Anyuisky National Park: shore of Lake Gassi, 49°03'48.54" N, 136°31'39.44" E, 4–7.VIII 2023, 1♀, leg. O. Kuberskaya (KNR); ibid, 7.VIII 2023, 3♂, 1♀, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Asian species: **Russia**: south of Khabarovsky Krai (new record), Primorsky Krai; Eastern China, Korean Peninsula, Japan.

HABITAT. Swampy banks of reservoirs.

#### \**Trichotichnus (Trichotichnus) nishioi* Habu, 1961

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the shore of Lake Gassi east of Cape Osinovy, 49°02'57.4" N, 136°34'00.0" E, 3.VII 2024, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. East Asian species: **Russia**: south of Khabarovsky Krai (new record), south of Primorsky Krai; Northeastern China, Korean Peninsula, Japan.

HABITAT. Found in the forest on the shore of the lake.

### Tribe Lebiini

#### *Demetrias (Demetrias) amurensis* Motschulsky, 1861

MATERIAL. Khabarovsky Krai, Anyuisky National Park: lower reaches of the Anyuy River, Kon channel, 49°15'24.30" N, 136°42'49.52" E, 16–17.VI 2023, 1 ex, leg. O. Kuberskaya (KNR); ibid, 49°15'24.3" N, 136°42'05.7" E, 10.VII 2024, 4 ex, leg. Yu. Sundukov (FEB); ibid, 49°15'22.60" N, 136°42'59.15" E, 11.VII 2024, 2 ex, leg. O. Kuberskaya (KNR); ibid, 49°15'26.1" N, 136°42'19.9" E, 12.VII 2024, 5 ex, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 49°15'20.21" N, 136°43'01.43" E, 12.VII 2024, 12 ex, leg. O. Kuberskaya (KNR); ibid, 13.VII 2024, 14 ex, leg. O. Kuberskaya (KNR); ibid, 49°15'25.3" N, 136°41'59.3" E, 13.VII 2024, 1 ex, leg. Yu. Sundukov (FEB); Lake Gassi, Cape Osinovy, 49°03'01.12" N, 136°32'47.60" E, 5.VIII 2023, 3 ex, leg. O. Kuberskaya (KNR); the shore of Lake Gassi east of Cape Osinovy, 49°02'57.4" N, 136°34'00.0" E, 3.VII 2024, 1 ex, leg. Yu. Sundukov & L. Sundukova (FEB); the shore of Lake Gassi, 49°03'45.3" N, 136°31'38.5" E, 2–3.VII 2024, 1 ex, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 4.VII 2024, 1 ex, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 8.VII 2024, 25 ex, leg. Yu. Sundukov & L. Sundukova (FEB); the mouth of the Bogbasu River, 49°22'32.1" N, 137°43'15.3" E, 16.VII 2024, 4 ex, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 20.VII 2024, 1 ex, leg. Yu. Sundukov & L. Sundukova (FEB); the bank of the Anyuy River above the mouth of the Solomi River, 49°19'47.6" N, 137°37'47.6" E, 22.VII 2024, 1 ex, leg. Yu. Sundukov & L. Sundukova, (FEB).

DISTRIBUTION. East Asian species: **Russia**: South Kurile, South Sakhalin, Moneron Island, Primorsky Krai, south of Khabarovsky Krai, Jewish Autonomous Region, south of Amurskaya Oblast; Northeastern China, North Korea, Japan (Hokkaido).

HABITAT. Facultative phytobiont: on near-water herbaceous vegetation.

NOTES. This species was recorded from Khabarovsky Krai without locations of finds and studied materials (Lafer, 1989; Sundukov, 2013).

### Tribe Odacanthini

#### \**Odacantha (Odacantha) hagai* Nemoto, 1989

MATERIAL. Khabarovsky Krai, Anyuisky National Park: lower reaches of the Anyuy River, Kon channel, 49°15'24.3" N, 136°42'05.7" E, 11.VII 2024, 2♂, 4♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 14.VII 2024, 1♂, leg. Yu. Sundukov (FEB); ibid, 49°15'25.3" N, 136°41'59.3" E, 13.VII 2024, 1♂, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Asian species: **Russia**: south of Khabarovsky Krai (new record), south of Primorsky Krai (Makarov *et al.*, 2019); Japan (Hokkaido, Honshu).

HABITAT. Facultative phytobiont: on near-water herbaceous vegetation.

### Tribe Oodini

#### *Lachnocrepis desertus* (Motschulsky, 1858)

MATERIAL. Khabarovsky Krai, Anyuisky National Park: mouth of the Khar River, 49°01'53.55" N, 136°36'10.79" E, 5.VIII 2023, 1♀, leg. O. Kuberskaya (KNR); Lake Gassi, gas pipeline, 49°04'40.3" N, 136°31'25.9" E, 6.VII 2024, 1♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 7.VII 2024, 2♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. Subboreal Palearctic species with disjunction in the center of Asia: in the west of the range – steppe and semi-desert zones from Romania in the west to Lake Balkhash in the east; in the east of the range – Russia (south of Amurskaya Oblast, Jewish Autonomous Region, south of Khabarovsky Krai, Primorsky Krai), Northeast China, Taiwan, South Korea, Japan.

HABITAT. Hygrophilous: grassy swamps, slow-flowing bodies of water.

NOTES. Till now in Khabarovsky Krai the two females of this species were recorded from the Bikin River valley only (Guéorguiev & Liang, 2020).

#### \**Oodes integer* Semenov, 1889

MATERIAL. Khabarovsky Krai, Anyuisky National Park: lower reaches of the Anyuy River, Kon channel, 49°15'24.3" N, 136°42'05.7" E, 10.VII 2024, 1♂, leg. Yu. Sundukov (FEB); ibid, 49°15'25.3" N, 136°41'59.3" E, 13.VII 2024, 1♂, leg. Yu. Sundukov (FEB); ibid, 13.VII 2024, 1♀, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Asian species: **Russia**: south of Khabarovsky Krai (new record), Primorsky Krai, South Kurile (Kunashir).

HABITAT. Hygrophilous: grassy swamps, slow-flowing bodies of water.

### Tribe Platynini

#### \**Agonum (Europophilus) gratiosum nipponicum* Habu, 1972

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the shore of Lake Gassi, 49°03'45.3" N, 136°31'38.5" E, 4.VII 2024, 1♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); lower reaches of the Anyuy River, Kon channel, 49°15'24.30" N, 136°42'49.52" E, 1♂, leg. O. Kuberskaya (KNR); ibid, 49°15'24.3" N, 136°42'05.7" E, 11.VII 2024, 1♂, leg.

Yu. Sundukov & L. Sundukova (FEB); ibid, 49°15'20.21" N, 136°43'01.43" E, 12.VII 2024, 2♀, leg. O. Kuberskaya (KNR); ibid, 49°15'20.21" N, 136°43'01.43" E, 13.VII 2024, 1♂, 2♀, leg. O. Kuberskaya (KNR); ibid, 49°15'25.3" N, 136°41'59.3" E, 13.VII 2024, 1♂, leg. Yu. Sundukov (FEB); ibid, 49°15'20.21" N, 136°43'01.43" E, 13–15.VII 2024, 1♂, 4♀, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Asian subspecies of the boreal Holarctic species: **Russia**: south of Khabarovsky Krai (new record), Primorsky Krai; Japan (Hokkaido, Honshu).

HABITAT. Swampy banks of reservoirs, marshes.

#### \**Agonum (Olisares) suavissimum* (Bates, 1883)

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the shore of Lake Gassi, 49°03'45.3" N, 136°31'38.5" E, 4.VII 2024, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); lower reaches of the Anyuy River, Kon channel, 49°15'24.3" N, 136°42'05.7" E, 10.VII 2024, 1♀, leg. Yu. Sundukov (FEB); ibid, 11.VII 2024, 1♂, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 49°15'26.1" N, 136°42'19.9" E, 12.VII 2024, 2♂, 1♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 49°15'25.3" N, 136°41'59.3" E, 13.VII 2024, 1♀, leg. Yu. Sundukov (FEB); ibid, 13.VII 2024, 2♀, leg. O. Kuberskaya (KNR); ibid, 14.VII 2024, 1♂, 1♀, leg. Yu. Sundukov (FEB); ibid, 49°15'20.21" N, 136°43'01.43" E, 13–15.VII 2024, 1♂, leg. O. Kuberskaya (KNR).

DISTRIBUTION. East Asian species: **Russia**: south of Khabarovsky Krai (new record), south of Primorsky Krai, South Sakhalin (Yokoyama & Kano, 1927; Lafer, 1992); Japan.

HABITAT. Swampy banks of reservoirs, marshes.

#### *Platynus magnus* (Bates, 1873)

MATERIAL. Khabarovsky Krai, Anyuisky National Park: the shore of Lake Gassi, 49°03'45.3" N, 136°31'38.5" E, 2–3.VII 2024, 3♂, 2♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 4.VII 2024, 1♂, 4♀, leg. Yu. Sundukov & L. Sundukova (FEB); ibid, 7.VII 2024, 3♀, leg. Yu. Sundukov & L. Sundukova (FEB).

DISTRIBUTION. East Asian species: **Russia**: Jewish Autonomous Region (Budilov, 2024), south of Khabarovsky Krai, Primorsky Krai; Eastern China, Taiwan, Korean Peninsula, Japan.

HABITAT. Wet reed meadows.

NOTES. This species was recorded from Khabarovsky Krai without locations of finds and studied materials (Lafer, 1992; Sundukov, 2013).

#### ACKNOWLEDGEMENTS

We sincerely thank the administration of Federal State-Funded Institution “Zapovednoye Priamurye” and all the inspectors of the Anyuisky National Park for their benevolent attitude and great help in carrying out field work.

The research by Yu.N. Sundukov was carried out within the state assignment of Ministry of Science and Higher Education of the Russian Federation (theme No. 124012400285-7).

#### REFERENCES

- Budilov, P.V. 2024. Ground beetles (Coleoptera: Carabidae) of the Zabelovsky cluster of Bastak Nature Reserve, Jewish Autonomous Region. *A.I. Kurentsov's Annual Memorial Meetings*, 35: 183–190. [In Russian] DOI: 10.25221/kurentzov.35.14

- Guéorguiev, B. & Liang, H. 2020. Revision of the Palaearctic and Oriental representatives of *Lachncrepis* LeConte and *Oodes* Bonelli (Coleoptera: Carabidae), with special account on Chinese species. *Zootaxa*, 4850: 1–89. DOI: 10.11646/zootaxa.4850.1.1
- Kryzhanovskij, O.L., Belousov, I.A., Kabak, I.I., Kataev, B.M., Makarov, K.V. & Shilenkov, V.G. 1995. *A checklist of the ground-beetles of Russia and adjacent lands (Insecta, Coleoptera, Carabidae)*. Pensoft Publishers, Sofia–Moscow. 271 pp.
- Kuberskaya, O.V. & Sundukov, Yu.N. 2023. Ground beetles (Coleoptera, Carabidae) of the Anyuisky National Park, Khabarovsk Territory. *A.I. Kurentsov's Annual Memorial Meetings*, 34: 103–124. [In Russian] DOI: 10.25221/kurentzov.34.8
- Lafer, G.Sh. 1989. 4. Family Carabidae – The Ground beetles. P. 71–222. In: P.A. Lehr (Ed.). *Opredelitel nasekomykh Dalnego Vostoka SSSR. T. 3. Zhestkokrylye, ili zhuki. Part 1*. Nauka, Leningrad. 572 pp. [In Russian]
- Lafer, G.Sh. 1992. 4. Fam. Carabidae – The Ground beetles. *Agonum* Bon. P. 602–621. In: P.A. Lehr (Ed.). *Opredelitel nasekomykh Dalnego Vostoka SSSR. T. 3. Zhestkokrylye, ili zhuki. Part 2*. Nauka, St. Petersburg. 704 pp. [In Russian]
- Lafer, G.Sh. 1996. Notes on some species of the subtribe Harpalina (Coleoptera, Carabidae, Harpalinae, Harpalini) from Korea and adjacent areas. *Insecta Koreana*, 13: 77–89.
- Makarov, K.V., Sundukov, Yu.N. & Korepanov, M.K. 2019. A review of the genus *Odacantha* (Coleoptera, Carabidae) of the Russian Far East. *Far Eastern Entomologist*, 380: 8–19. DOI: 10.25221/fee.380.2
- Neri, P. & Toledano, L. 2023. *Bembidion (Ocydromus) primorjense* n. sp. from Far Eastern Russia (Insecta: Coleoptera: Carabidae: Bembidiini). *Quaderno di Studi e Notizie di Storia Naturale della Romagna*, 58: 245–253.
- Shilenkov, V.G. 1994. *The ground beetles (Coleoptera: Trachypachidae, Carabidae) of the Baikal-Transbaikal geographic region*. Lisna & K., Irkutsk, 60 pp.
- Sundukov, Yu.N. 2013. *An annotated catalogue of the ground beetles (Coleoptera: Carabidae) of Sikhote-Alin*. Dalnauka, Vladivostok. 271 pp. [In Russian]
- Sundukov, Yu.N. 2022. Taxonomic diversity of Geodephaga (Coleoptera, Adephaga) of the Russian Far East. *A.I. Kurentsov's Annual Memorial Meetings*, 33: 24–34. [In Russian] DOI: 10.25221/kurentzov.33.2
- Sundukov, Yu.N. & Kuberskaya, O.V. 2023. New and little-known species of ground beetles (Coleoptera, Carabidae) from the Khabarovsk Territory, Russia. *Euroasian Entomological Journal*, 22 (3), 165–167 + 1–2 (Appendix). [In Russian]
- Yokoyama, K. & Kano, T. 1927. List of Coleoptera hitherto been found in Southern Saghalien. *Zoological Magazine (Japan)*, 39(459): 1–39.

---

© Far Eastern entomologist (Far East. entomol.) Journal published since October 1994.

Editor-in-Chief: S.Yu. Storozhenko

Editorial Board: A.S. Lelej, S.A. Belokobylskij, M.G. Ponomarenko, V.A. Mutin, E.A. Beljaev, E.A. Makarchenko, A.V. Gorochov, T.M. Tiunova, M.Yu. Proshchalykin, S.A. Shabalov, V.M. Loktionov

Address: Federal Scientific Center of the East Asia Terrestrial Biodiversity (former Institute of Biology and Soil Science), Far East Branch of the Russian Academy of Sciences, 690022, Vladivostok-22, Russia.

E-mail: storozhenko@biosoil.ru

web-site: <http://www.biosoil.ru/fee>